

CLASS I

COMMERCIAL, INDUSTRIAL OR UTILITY PULL-OFF

APPLICATION TO CONSTRUCT
PRIVATE ENTRANCES
DRIVEWAYS AND APPROACHES
(INCLUDES RELOCATION)

Application is hereby made by the undersigned for permission to: _____

(described type of work to be done)

in Warrick County, located on County Road _____

(insert name of road and location of work to be done)

If new pipe - Size _____ Length _____

REGULATIONS AND REQUIREMENTS TO FOLLOW:

1. Must be designed in accordance with Indiana Department of Highways Driveway Permit Handbook, 1996 Edition.
2. Minimum size of any structure or pipe culvert installed in a County road ditch shall be 12" diameter or the equivalent opening. The correct pipe size shall be determined by the County Engineer and County Commissioners. Drainage calculations to support the pipe size shall be submitted with the permit.
3. Minimum length of any pipe culvert shall be 20 feet. If the County Engineer and County Commissioners require any additional length, it will be stated on the permit.
4. No used or damaged pipe culvert shall be installed without the written consent of the County Engineer and County Commissioners. Aluminum pipe culvert shall not be used.
5. All surface drainage created by the installation of said entrance, driveway, or approach shall be channeled into the road ditch rather than being allowed to flow onto the County road.
6. Any additional requirements or deletions from the above shall be determined on the basis of each separate case presented.
7. A dollar amount must be submitted by your engineer to cover the cost of construction of the driveway within the right of way. This dollar amount will be approved by the County Engineer.
8. Proof of financial responsibility must be provided prior to the Improvement Location Permit being issued.
9. UTILITY PULL-OFF Driveways shall meet standards as specified in the Indiana Department of Highways Driveway Permit Handbook, 1996 Edition.

APPLICANT: _____

ADDRESS: _____

TELEPHONE: _____

THE ABOVE APPLICATION IS HEREBY GRANTED AND THE PERMIT THEREIN REQUESTED IS APPROVED THIS _____ DAY OF _____,

County Engineer Date

Board of Commissioners

This application must be submitted in triplicate with attached plans illustrating the improvement in the office of the Area Plan Commission, Room 201, Court House, Boonville, Indiana and accompanied by a fee of \$50.00 at least two (2) weeks prior to any County Commissioner's meeting date. The application must be in order one (1) week prior to said meeting date to be placed on the Commissioner's agenda.

ANY QUESTIONS REGARDING THIS APPLICATION NEEDS TO BE ADDRESSED BY THE COUNTY HIGHWAY ENGINEERING DEPARTMENT - (812) - 897-6094

WARRICK COUNTY HIGHWAY ENGINEER

107 West Locust St. Suite 208 - BOONVILLE, IN. 47601
PHONE (812) 897-6094 - FAX (812) 897-6109

Minimum Standards

I: Commercial Drive:

- 1.) 30' Throat Width
- 2.) 35' Radius
- 3.) Concrete 8" Reinforced (min. 3500 p.s.i.) Concrete on 6" Compacted Aggregate
- 4.) Asphalt 7" (1" Surface & 2 Layers of 3" base) on 6" of Compacted Aggregate

II: Utility Pull Off:

- 1.) 12' Throat Width
- 2.) 25' Tapers
- 3.) Concrete 6" Reinforced (min. 3500 p.s.i.) Concrete on 6" Compacted Aggregate
- 4.) Asphalt 7" (1" Surface & 2 Layers of 3" base) on 6" of Compacted Aggregate

All Commercial Driveway Entrance Standards are derived from the INDOT Driveway Permit Manual as adopted by the Warrick County Board of Commissioners.

All Commercial Driveway Permits shall be submitted in triplicate (3) containing a two-dimensional sketch with the following information:

- Plan View
- Cross Sectional View
- Certified by a Registered Indiana Engineer, Land Surveyor or Architect. Must have original signature and seal.
- Dollar amount for the cost of construction of said driveway in county road right-of-way.
- Drainage calculation to support size of drainage structure (if required).

All Commercial Drive Applications must include either a Performance Bond, Irrevocable Letter of Credit, Certified Check or surety to the Board of County Commissioners to cover the cost of the driveway or approach, unless applicant is applying for an Improvement Location Permit then the Area Plan Commission will require that the driveway be constructed or bonded prior to issuing an Improvement Location Permit/Building Permit.

Entrance conditions for subdivisions are reviewed during the submittal of Street and Drainage Construction Plans. Please refer to Ordinance Number 1998-14-Q of the current Subdivision Control Ordinance.

All Class I Commercial Driveways must be installed per the approved plans and approved by the County Highway Engineer and/or the Board of Commissioners prior to the OPENING OF BUSINESS. Please refer to Ordinance Number 1997-4.